

Other Services Provided by SKCC Genomics & Bioinformatics Cores

Yipeng Wang, M.D., Ph.D.

Email: ywang@skcc.org

Phone: 858-450-5990 ext. 285



Bioinformatics & Data Mining

Applications of DNA Microarray




Bioinformatics & Data Mining

- Differential analysis (class classification)
 - Finding genes that are differentially expressed in tumors with different characteristics
- Clustering (Unsupervised)
 - Identification of homogeneous subtypes of cancer
- Classification (Supervised)
 - Development of a prediction rule based on gene expression
- Pathway, Gene Ontology Analysis
- DNA copy number analysis
- Custom Oligo Probe Design for DNA microarray
 - Uniform oligo probes relies on probe sequences



Differential analysis (class classification)

 WebArrayDB offers a variety of options for differential analysis.





Data analysis Show/	Hide advanced options	
Method for analysis	: eBayes-moderated t-test (LIMMA) 💌	
Contrasts:	Get data only t test	
_	ar eBayes-moderated t-test (LIMMA) AN(C)OVA Sample Auto order	
	Non-parametric test SAM test tors for An (C) OVA.	
Fixed factors:	☑ Platform ☑ Sample ☑ Dye	
Random factor	s: 🗹 Array 🔽 Sample individual	




Clustering (Unsupervised)

- K-means
- Hierarchical Clustering
- -SOM











Classification (Supervised)

- PAM
- SVM
- Recursive Partitioning






Survival Analysis






High Resolution Array-based CGH






Existing tools for ontological analysis





Gene Ontology / KEGG pathway analysis



globaltest Package

•Using this test it can be determined whether the global expression pattern of a group of genes is significantly related to some clinical outcome of interest. Groups of genes may be any size from a single gene to all genes on the chip (e.g. known pathways, specific areas of the genome or clusters from a cluster analysis).




Oligo Probe Design for DNA Microarray

Probe Properties

- 1. Specificity
- 2. Sensitivity
- 3. Uniformity

Probe Design Parameters

- 1. Probe hybridization free energy
- 2. Positional Probe hybridization free energy
- 3. Empirical Probe Binding Energy
- 4. Probe minimum folding energy
- 5. Probe dimer score, hairpin score
- 6. Homology Score
- 7. Complexity Score





Applications of DNA microarray

- Gene Expression
 - 3' expression & whole transcript expression
- DNA methylation Assay
 - Whole genome DNA methylation analysis
- Chip-on-Chip
 - Identification of transcription factor binding site in whole genome scale
- Nascent RNA Expression Profiling
 - Identification of nascent RNA
- miRNA Expression Profiling
 - miRNA profiling using miRNA microarray




Gene Expression Profiling

- 3' expression profiling
- Whole transcript expression profiling











Whole Genome DNA methylation Assay

Design of human promoter array






DNA Methylation Assay Schema



Example: C14orf39 Promoter




distance to transcription start site brown: PC3M; green: 267B1




Chip-on-Chip

• Discovery of transcription factor binding sites in promoter region.



Publications in Science, Molecular Cell and Blood ...



Images from Wikipedia



Nascent RNA Expression Profiling


Microarray Data

- Intron Oligo Microarray
- RAP-PCR based amplification

Red: Introns

Blue: Exons

Green: Affy Probes



Q-PCR Data



miRNA Expression Profiling

- In-house miRNA microarrary
- In developing stage

